Author Index

ABATE, L., CHISARI, L., ROMEO, G., MAGGIORE, R., SIRACUSA, G.: Thermal behaviour of uranium(VI) complexes. Uranyl acetate dihydrate-N-phenilthiourea system: synthesis and decomposition , 227
AMBROVIC, P.: see ILLEKOVÁ, E., 413
ARKHANGELSKY, I. B., see SOLOZHENKO, V. L., 147
AVELLA, M., MARTUSCELLI, E., PRACELLA, M.: Low and high-yield isotactic polyproplylene. Isothermal crystallization from the melt, 237

BALDINI, P., see SCHIRALDI, A., 295
BALL, M. C., CASSON, M. J.. Thermal studied on lead(II) salts, VI. Kinetics of decomposition of lead(II) carbonate and lead(II) hydroxide carbonate (white lead), 371
BECHEV, CH., NIKOLOV, G., KANCHEV, E.: Thermal study of dyed chrome-treated keratin fibres, 341
BERBENNI, V., see MARINI, A., 303
BERTRAND, G., see ROUSSY, G., 49
BETTINETTI, G. P., CARAMELLA, C., GIORDANO, F., LA MANNA, A., MARGHERITIS, C., SINISTRI, C.: Thermal analysis of binary systems of the pharmaceuticals trimethoprim and benzoic acid, 285
BOLIS, V., FUBINI, B., VENTURELLO, G.: Surface characterization of various silicas. A tentative correlation between the energies of adsorption sites and the different biological activities, 249
BRUN, M., see QUINSON, J. F., 87
BRZYSKA, W., KURPIEL-GORGOL, R., DABKOWSKA, M.: Thermal decomposition of scandium(III) benzenetricarboxylates in air and nitrogen atmosphere, 333

CAMPARI VIGANO, G., see CHIODELLI, G., 273
CARAMELLA, C., see BETTINETTI, G. P., 285
CARPOV, A., see CAŞCAVAL, C. N., 325
CAŞCAVAL, C. N., MOCANU, G., CARPOV, A.: Characterization of some acrylic anion-exchangers by pyrolysis-gas chromatography, 325
CASSON, M. J., see BALL, M. C., 371
CASTANET, R., MATHIEU, J. C.: Détermination des capacités thermiques d'excès par calorimétrie de reaction directe, 259
CHERNOVA, N. A., see SOLOZHENKO, V. L., 147
CHIODELLI, G., FLOR, G., MAGISTRIS, A., CAMPARI VIGANO, G., VILLA, M.: Stable and metastable phases in AgI-containing silver borate glasses, 273
CHISARI, A., see ABATE, L., 227
CLAUDY, P., see QUINSON, J. F., 87
COLACIO-RODRIGUEZ, E., LÓPEZ-GONZÁLEZ, J. D., SALAS-PEREGRIN, J. M.: Thermal behaviour of xanthinium salts of Zn(II), Cd(II) and Hg(II), 3

COLIN, P., see ROUSSY, G., 49
COLIN, P., see THIEBAUT, J.-M., 37

DABKOWSKA, M., see BRZYSKA, W., 333
DAUENGAUER, S. A., SAZANOV, YU. N., SHIBAEV, L. A., FEDOROVA, G. N.: Thermogravimetric analysis of complexes of compounds serving as models of polyamic acids with amic solvents, 317
DUHAJ, P., see AMBROVIC, P., 413

FEDOROVA, G. N., see DAUENGAUER, S. A., 317
FLOR, G., see CHIODELLI, G., 273
FLOR, G., see MARINI, A., 303
FUBINI, B., see BOLIS, V., 249

GÁLIKOVÁ, L., see HORVÁTH, I., 435
GARCIA ALONZO, I., PENICHE-COVAS, C., NIETO, J. M.: Thermal analysis determination of the degree of acetylation of chitin and chitosan, 189
GIORDANO, F., see BETTINETTI, G. P., 285
GORBACHEV, V. M.: Logistic heating program in thermal analysis and non-isothermal kinetics, 431

HAIDUC, I., see MARTA, L., 175
HARRINGTON, K. J.: The thermal behaviour of some chlathrates based upon Dianin's compound, 121
HORVÁTH, I., JÓNA, E., GÁLIKOVÁ, L., JAMNICKY, M.: Kinetics and enthalpy change in decomposition of $Ni(NCS)_2(3\text{-R-pyridine})_4$ complexes (R = ethyl, Cl, Br, CN, NH_2), 435
HURDUC, N., ODOCHIAN, L.: Characterization of some mixed complex combinations of Ni(II) with picolines from thermogravimetric data, 11
HURDUC, N., VICOL, O.: Mixed complex combinations of Pb(II) with α-amino acids, 311

ILLEKOVÁ, E., AMBROVIC, P., DUHAJ, P.: Isothermal study of crystallization of Pd–Ni–Si amorphous metallic materials, 413

JAMNICKY, M., see HORVÁTH, I., 435
JÓNA, E., see HORVÁTH, I., 435

KAHWA, I. A., SELBIN, J.: The thermal characteristics of potassium oxalato lanthanates: $K_3LnOx_3 \cdot nH_2O$ (Ln = La–Tb) and $K_8Ln_2Ox_7 \cdot 14\ H_2O$ (Ln = Tb–Yb, Y), 359
KALASHNIKOV, YA. A., see SOLOZHENKO, V. L., 147
KANCHEV, E., see BECHEV, CH., 341
KARMAZSIN, E., SATRE, P., VERGNON, P.: Simultaneous thermomagnetic and dilatometric measurements in a study of the Fe_2O_3 metastable transformation, 279
KETTRUP, A., see OHRBACH, K.-H., 155
KURPIEL-GORGOL, R., see BRZYSKA, W., 333

LA MANNA, A., see BETTINETTI, G. P., 285
LAU, S.-F., WUNDERLICH, B.: Calculation of the heat capacity of linear macromolecules from theta-temperatures and group vibrations, 59
LETOFFE, J. M., see QUINSON, J. F., 87
LÓPEZ-GONZÁLEZ, J. D., see COLACIO-RODRIGUEZ, E., 3
LOSADA, J., see SÁNCHEZ, M., 381

MACAROVICI, C. Gh., see MARTA, L., 175
MAGGIORE, R., see ABATE, L., 227
MAGISTRIS, A., see CHIODELLI, G., 273
MARGHERITIS, C., see BETTINETTI, G. P., 285
MARINI, A., FLOR, G., MASSAROTTI, V., BERBENNI, V., RICCARDI, R.: β-aluminas and water: a comparison of mixed Li—Na and pure Li and Na β-aluminas, 303
MARTA, L., ZAHARESCU, M., HAIDUC, I., MACAROVICI, C. GH.: Thermal synthesis of barium and barium-strontium metaniobates by using a coprecipitation method, 175
MARTUSCELLI, E., see AVELLA, M., 237
MASSAROTTI, V., see MARINI, A., 303
MATHIEU, J. C., see CASTANET, R., 249
MATHOT, V. B. F., PIJPERS, M. F. J.: Heat capacity, enthalpy and crystallinity for a linear polyethylene obtained by DSC, 349
MENCZEL, J., VARGA, J.: Influence of nucleating agents on crystallization of polypropylene. I. Talc as a nucleating agent, 161
MILLET, J. M., SASSOULAS, R., SEBAOUN, A.: Transition solide ⇌ solide dans le systeme $CaO—Na_2O—P_2O_5$: sous-systeme $Ca_3(PO_4)_2—CaNaPO_4$, 131
MOCANUA, G., see CAŞCAVAL, C. N., 325

NIKOLOV, G., see BECHEV, CH., 341
NIETO, J. M., see GARCIA ALONSO, I., 189

ODOCHIAN, L., see HURDUC, N., 11
OHRBACH, K.-H., RADHOFF, G., KETTRUP, A.: Thermal decomposition study on nickel(II)- and cobalt(II)-diketonate Lewis-base adducts by simultaneous TG—DTA—MS analysis 155

PAULIK, F., PAULIK, J., WIECZOREK-CIUROWA, K.: Thermoanalytical study of equilibrium conditions in the system $Ca(NO_3)_2 \cdot Co(NH_4)_2—H_2O$, 395
PAULIK, F., see WIECZOREK-CIUROWA, K., 405
PAULIK, J., see PAULIK, F., 395
PAULIK, J., see WIECZOREK-CIUROWA, K., 405
PENICHE-COVAS, C., see GARCIA ALONSO, I., 189
PIJPERS, M. F. J., see MATHOT, V. B. F., 349
PRACELLA, M., see AVELLA, M., 237

QUINSON, J. F., BRUN, M., LETOFFE, J. M., CLAUDY, P.: Développement de la méthode thermique de mesure de la tension superficielle liquide-solide, 87

RADHOFF, G., see OHRBACH, K.-H., 155
RAEMY, A., SCHWEIZER, T. F.: Thermal behaviour of carbohydrates studied by heat flow calorimetry, 95
RICCARDI, R., see MARINI, A., 303
ROMEO, G., see ABATE, L., 227
ROPITAL, F., see THOMAS, G., 109
ROUSSY, G., COLIN, P., THIEBAUT, J.-M., BERTRAND, G., WATELLE, G.: Microwave enhancement of evaporation of a polar liquid. II. Theoretical approach, 49
ROUSSY, G., see THIEBAUT, J.-M., 37

SALAS-PEREGRIN, J. M., see COLACIO-RODRIGUEZ, E., 3
SÁNCHEZ, M., LOSADA, J.: Thermochemistry of some complexes of chromium(III) with imidazoles, 381
SASSOULAS, R., see MILLET, J. M., 131

SATRE, P., see KARMAZSIN, E., 279
SAZANOV, YU. N., see DAUENGAUER, S. A., 317
SCHIRALDI, A., BALDINI, P.: Epoxy polymers: use and misuse of non-isothermal DTA and DSC in the study of the curing process, 295
SCHWEIZER, T. F., see RAEMY, A., 95
SEBAOUN, A., see MILLET, J. M., 131
SELBIN, J., see KAHWA, I. A., 359
SHIBAEV, L. A., see DAUENGAUER, S. A., 317
SHLENSKY, O. F.: Thermal decomposition of polymeric materials: characteristics of kinetics at non-isothermal heating, 421
SINISTRI, C., see BETTINETTI, G. P., 285
SIRACUSA, G., see ABATE, L., 227
SOLOZHENKO, V. L., ARKHANGELSKY, I. B., KALASHNIKOV, YA. A., CHERNOVA, N. A.: Isobaric thermoanalytical study of the decomposition process of interstitial graphite-iron(III) chloride compounds, 147

THIEBAUT, J.-M., COLIN, P., ROUSSY, G.: Microwave enhancement of evaporation of a polar liquid. I. Experimentation, 37
THIEBAUT, J.-M., see ROUSSY, G., 49
THOMAS, G., ROPITAL, F.: Controle de réactions et determination d'états quasi-stationnaires par couplage d'analyses thermomagnétique et thermogravimetrique, 109

VARGA, J., see MENCZEL, J., 161
VENGER, A. E.: Computer-aided treatment of thermogravimetric experiment and calculation of effective kinetic parameters of thermal decomposition processes, 29
VENTURELLO, G., see BOLIS, V., 249
VERGNON, P., see KARMAZSIN, E., 279
VICOL, O., see HURDUC, N., 311
VILLA, M., see CHIODELLI, G., 273

WARNER, S. B.: Differential scanning calorimetry of spin-oriented polyester yarn, 17
WARNER, S. B.: Differential scanning calorimetry of spun and drawn polyester yarn, 23
WATELLE, G., see ROUSSY, G., 49
WIECZOREK-CIUROWA, K., see PAULIK, F., 395
WIECZOREK-CIUROWA, K., PAULIK, J., PAULIK, F.: Thermogravimetric study of dehydration of $Ca(NO_3)_2 \cdot Co(NH_2)_2 \cdot 3\,H_2O$ under quasi-isothermal quasi-isobaric condition, 405
WUNDERLICH, B., see LAU, S.-F., 59

ZAHARESCU, M., see MARTA, L., 175

Subject Index

Absorption spectra of potassium oxalato lanthanates 366
Acetylation of chitin and chitosan, determination by thermal analysis 189
Acrylic anion-exchangers, pyrolysis gas chromatography of 325
Anion-exchangers, pyrolysis gas chromatography of 325
Apparatus for study of evaporation 39
Activation energy of crystallization, of amorphous palladium–nickel–silicium alloys 416
– –, nickel(II) rhodanide pyridine complexes 435
– –, – –, of lead(II) carbonate 375
– –, – –, of lead(II) hydroxide carbonate 376
– –, – –, of scandium(III) tricarboxylates 337

Barium metaniobate, thermal synthesis 175
– strontium metaniobate, thermal synthesis 175
Bibliography section 195, 445
Book review 441

Calcium nitrate–urea system, study of equilibrium conditions 395
– – – trihydrate compound, dehydration of 405
Calculation of heat capacity of linear macromolecules 59
– of thermal decomposition data of polyamide fibre 35
Carbohydrates, heat flow calorimetry in sealed cells 95
Chitin, acetylation degree, determination of by thermal analysis 189
Chitosan, acetylation degree, determination of, by thermal analysis 189
Chromium(III) imidazole complexes, thermal decomposition 381
Clathrates based on Dianin's compound, thermal behaviour 121
Cobalt(II)-β-diketonate Lewis-base adducts, thermal decomposition 155
– molibdate, synthesis by thermal treatment 112
– oxide, reaction with molibdenum trioxide, TG, thermomagnetometry 113
Combined methods: TG with thermomagnetometry 112
Complexes, mixed, of picolines, TG 11
Computer-aided treatment of TG data 29
– program for the calculation of heat capacity of macromolecules 68
Coprecipitation of mixed barium–strontium metaniobate 179
Crystallinity of linear polyethylene determined by various methods 356
Crystallization of amorphous cellobioze 104
– – lactose 105
– – sucrose 104
– – birefringence of polyester fibers 26
– of palladium–nickel–silicium alloy, DSC 413
– of polypropylene, influence of talc as nucleating agent 161
–, temperature of, of polyester yarn 21, 23

Decomposition enthalpies of carbohydrates 98
Dehydration of calcium nitrate–urea trihydrate, TG study 405
Derivative thermogravimetry, barium oxalate 180
– –, chitin 190
– –, chromium(III) imidazole complexes 385
– –, mercury(II) chloride 8
– –, mixed complexes of picolines 12
– –, niobic acid–barium oxalate coprecipitate 181
– –, – –, strontium oxalate–barium oxalate coprecipitate 185
– –, scandium(III) hemimellitate 334
– –, – trimellitate 335
– –, – trimezinate 336
– –, of xanthinium salts 6
Dianin's compound, chlatrates based on, thermal behaviour 121
Differential scanning calorimetry, chlatrates including solvents 126
– – –, linear polyethylene 350
– – –, polyester yarn 20, 23
– – –, polypropylene, influence of talc 163
– – –, of xanthinium salts 7
Differential thermal analysis, barium oxalate 180
– – –, chitin 190
– – –, chromium(III) imidazole complexes 385
– – –, cobalt(II)-β-diketonate Lewis-base adducts, simultaneous with TG and MS 155
– – –, for determination of phase-diagram of calcium nitrate–urea system 401
– – –, interstitial graphite–iron(III) chloride compounds 149
– – –, nickel(II)-β-diketonate Lewis-base adducts, simultaneous with TG and MS 155
– – –, niobic acid–barium oxalate coprecipitate 181
– – –, – –, strontium oxalate–barium oxalate coprecipitate 185
– – –, potassium oxalato lanthanates 362
– – –, scandium(III) hemimellitate 334
– – –, – trimellitate 335
– – –, – trimezinate 336
– – –, tricalcium phosphate–calcium sodium phosphate mixture 142
– – –, wool fibre 345

Endothermic reaction, evaporation of liquid as example for 37
Energy of activation of mixed complexes of picolines 15
Evaporation of polar liquid, enhancement by microwave 37, 49
– – –, theory of 49
Events 219, 469

Fusion temperatures of sugars and sugar alcohols 102

Graphite–iron(III) chloride compounds, thermal decomposition 147
Guest solvents, included in clathrates, thermal behaviour 123

Heat Capacity Data Center, for macromolecules 59
– capacity, of interstitial graphite–iron(II) chloride compounds 151
– – of linear macromolecules, calculation 59
– – – polyethylene, by DSC 349
– – of polyethylene, calculation 64
– – of polytetrafluoroethylene, calculation 65

Heat flow calorimetry, of carbohydrates 95
– of formation, of interstitial graphite–iron(III) chloride compounds 151
Hemimellitate of scandium(III), thermal decomposition 333

Infrared spectra of barium–strontium metaniobates 186
– – of chromium(III) imidazole complexes 391
– – of potassium oxalato lanthanates 359
– –, of xanthinium salts 5
Interstitial graphite–iron(III) chloride compound, thermal decomposition 147

Keratin fibres, dyed, thermal study 341
Kinetic parameters, effective, from TG data 29
Kinetics of crystallization of amorphous palladium–nickel–silizium alloys 418
– and enthalpy change, with nickel(II) mixed complexes 437
–, non-isothermal, algorithm for 431
– of thermal decomposition, lead(II) hydroxide carbonate 375
– – –, lead(II) carbonate 376
– – –, polymeric materials, general characteristics 421

Lead(II) carbonate, kinetics of thermal decomposition 371
– hydroxide carbonate, kinetics of thermal decomposition 371
Liquid column, evaporation of, effect of microwave heating 44
Logistic heating program in thermal analysis 431

Macromolecules, linear, calculation of the heat capacity 59
Magnetic field, effect on TG 115
Mass spectrometry, cobalt(II)-β-diketonate Lewis-base adducts, simultaneous with TG and DTA 157
– –, nickel(II)-β-diketonate Lewis-base adducts, simultaneous with TG and DTA 157
Melting point of clathrates including solvents 123
Mercury(II) chloride, TG, DTG 8
Microwave heating, effect on evaporation of a polar liquid 44
– radiation, enhancement of evaporation by 37, 49
Molibdenum trioxide, reaction with Co_3O_4, TG, thermomagnetometry 113

Nickel(II)-β-diketonate Lewis-base adducts, thermal decomposition 155
– mixed complexes with picolines 11
– rhodanide pyridine complexes, thermal decomposition 435
Non-stoichiometric phase in the tricalcium phosphate–calcium sodium phosphate system 142
Nucleating agent (talc), influence on crystallization of polypropylene 161

Palladium–nickel–silicium alloys, study of crystallization 413
Phase diagram of calcium nitrate–urea system, by DTA 401
– – of tricalcium phosphate–calcium sodium phsophate mixture 133
Picolines, mixed complexes of, TG 11
Polyamide fibre, calculation of thermal decomposition of 35
Polyester yarn, DSC 17, 23
Polyethylene, calculation of the heat capacity 64
–, linear, heat capacity, enthalpy, crystallinity of 349
– terephthalate, effect of shrinkage on the heat of transition 21
Polymers, characteristics of kinetics 421
Polypropylene, crystallization, influence of talc as nucleating agent 161

Polysaccharides, decomposition enthalpies of 99
Polytetrafluoroethylene, calculation of heat capacity 65
Potassium oxalato lanthanates, thermal decomposition 359
Pyrolysis gas chromatography, of anion-exchangers 325
– products of acrylic anion-exchangers 331

Quasi-isothermal–quasi-isobaric TG, for dehydration of calcium nitrate–urea trihydrate compound 408
– – –, study of calcium nitrate–urea system 400

Reaction of Co_3O_4–MoO_3 mixture, TG and thermomagnetometry 113

Scandium(III) benzene tricarboxylates 333
Solid–liquid surface tension, determination by thermal method 87
– –solid reaction, controlling by combined TG–thermomagnetometry 110
Spun and drawn polyester yarn, DSC 23
Sugars, decomposition enthalpy of 98
–, heat flow calorimetry of 95
Surface free energy of polypropylene, effect of nucleating agent 170
– tension, of solid–liquid interface, determination by thermal method 87
– –, – – of indium 92
– – – – –, or organic solvents 91

Talc as nucleating agent with crystallization of polypropylene 161
Temperature indicating strips 439
– integral of non-isothermal kinetics, algorithm for 431
Thermal curves, characteristic temperature of linear polymers 349
– decomposition of acrylic anion-exchangers 325
– – of barium metaniobate 185
– – of barium–strontium metaniobate 185
– – of interstitial graphite–iron(III) chloride compounds 147
– –, of lead(II) carbonate 371
– – – hydroxide carbonate 371
– – of nickel(II) rhodanide pyridine complexes 435
– – of polymers, characteristics of kinetics 421
– – of potassium oxalato lanthanates 359
– – of scandium(III) benzene tricarboxylates 333
– – scheme of chromium(III) imidazole complexes 393
– – of xanthinium salts 3
– stability of mixed complexes of picolines 15
– study of dyed keratin fibres 341
Thermogravimetry, acrylic anion-exchangers 328
–, barium oxalate 180
–, chitin 190
–, chromium(III) imidazole complexes 385
–, clathrates including solvents 126
–, cobalt(II)-β-diketonate Lewis-base adducts, simultaneous with DTA and MS 155
–, combined with thermomagnetometry, apparatus for 109
–, dehydration of calcium nitrate–urea trihydrate compound 407
– data, computer–aided treatment of 29
– – processing, block diagram 30
–, mixed complexes of picolines 12

Thermogravimetry, nickel(II)-β-diketonate Lewis-base adducts, simultaneous with DTA and MS 155
–, niobic acid–barium oxalate coprecipitate 181
–, – – strontium oxalate–barium oxalate coprecipitate 185
–, scandium(III) hemimellitate 334
–, – trimellitate 335
–, – trimezinate 336
–, organic solvents 127
–, potassium oxalato lanthanates 362
–, thermoplastic polymeric materials 422
–, wool fibre 345
–, xanthine 8
–, xanthinium salts 6
Thermomagnetometry, combined with TG, apparatus for 110
Thermomechanical analysis of dyed wool fibre 342
Transitions in the tricalcium phosphate–calcium sodium phosphate system 131
Tricalcium phosphate–calcium sodium phosphate phase diagram 133
Trimellitate of scandium(III), thermal decomposition 333
Trimezinate of scandium(III), thermal decomposition 333
Triple point temperature depression, for determination of solid–liquid surface tension 87

Urea–calcium nitrate system, study of equilibrium conditions 395

Wool fibres, dyed, thermal study of 341
– keratin, transition temperature of 344

Xanthine, TG, DTG 8
Xanthinium salts, synthesis and thermal decomposition 3
X-ray diffraction lines of barium–strontium metaniobates 186